

SİLİNDİR SAPLI MAKİNA RAYBASI DIN 212B, HELİS, HSS Co5, H7				IZR212B
D H7 (mm)	L (mm)	l (mm)	d (mm)	FİYAT KODU
2	49	11	2,0	04443
2,5	57	14	2,5	04444
3	61	15	3,0	04445
3,5	70	18	3,5	04446
4	75	19	4,0	04447
4,5	80	21	4,5	04448
5	86	23	5,0	04449
5,5	93	26	5,5	04450
6	93	26	6,0	04451
6,5	101	28	6,5	04452
7	109	31	7,0	04453
8	117	33	8,0	04454
9	125	36	9,0	04455
10	133	38	10,0	04456
11	142	41	10,0	04457
12	151	41	10,0	04458
13	151	44	10,0	04459
14	160	47	12,5	04460
15	162	50	12,5	04461
16	170	52	12,5	04462
<b>KULLANIM ALANI</b>		Bütün çelik türlerinde, demir dışı metallerde sert ve yumuşak plastiklerde kullanılır. Ağızlama boyu kısa olduğu için kör ve açık deliklerde kullanılabilir.		



MORS KONİK SAPLI MAKİNA RAYBASI DIN 208B, HELİS, HSS Co5, H7					IZR208B
D H7 (mm)	L (mm)	l (mm)	MK	Z (mm)	FİYAT KODU
6	138	26	1	6	04463
8	156	33	1	6	04464
10	168	38	1	6	04465
11	175	41	1	6	04466
12	182	44	1	6	04467
13	182	44	1	8	04468
14	189	47	1	8	04469
15	204	50	2	8	04470
16	210	52	2	8	04471
17	214	54	2	8	04472
18	219	56	2	8	04473
19	223	58	2	8	04474
20	228	60	2	8	04475
22	237	64	2	8	04476
24	268	68	3	10	04477
25	268	68	3	10	04478
28	277	71	3	10	04479
30	281	73	3	10	04480
<b>KULLANIM ALANI</b>		Bütün çelik türlerinde, demir dışı metallerde sert ve yumuşak plastiklerde kullanılır. Ağzılama boyu kısa olduğu için kör ve açık deliklerde kullanılabilir.			


HSS

H7

DIN  
206-B

7-8°

45°

ISO  
236

## SİLİNDİR SAPLI EL RAYBASI DIN 206B,HELİS, HSS, H7

IZR206B

D H7 (mm)	L (mm)	l (mm)	a (mm)	FİYAT KODU
3	62	31	2,10	04481
4	76	38	3,00	04482
4,5	81	41	3,40	04483
5	87	44	3,80	04484
5,5	93	47	4,30	04485
6	93	47	4,30	04486
6,5	100	50	4,90	04487
7	107	54	5,50	04488
7,5	107	54	5,50	04489
8	115	58	6,20	04490
8,5	115	58	6,20	04491
9	124	62	7,00	04492
10	133	66	8,00	04493
11	142	71	9,00	04494
12	152	76	10,00	04495
13	152	76	10,00	04496
14	163	81	11,00	04497
15	163	81	11,00	04498
16	175	87	12,00	04499
17	175	87	12,00	04500
18	188	93	14,50	04501
19	188	93	14,50	04502
20	201	100	16,00	04503
22	215	107	18,00	04504
23	215	107	18,00	04505
24	231	115	20,00	04506
25	231	115	20,00	04507
30	247	124	22,40	04508

**KULLANIM ALANI**

Bütün çelik türlerinde, demir dışı metallerde ve plastik malzemelerde kullanılır. Ağızlama boyu uzun olduğundan kör deliklerde kullanmaya uygun değildir.